




























Product Portfolio




APPLIED SYSTEMS

Air cooled chiller range

	Refrigerant	Inverter	Free cooling	Compressor			Efficiency version				Sound version				
				Swing	Scroll	Screw	Standard	High	Premium	High ambient	Standard	Low	Reduced	Extra low	
Cooling only															0
EWAQ~ADVP		R-410A	✓		✓			✓				✓			
EWAQ~ACV3/ACW1		R-410A	✓			✓		✓				✓			
EUWA*~KBZW1		R-407C				✓		✓				✓			
EWAQ~BA*		R-410A	✓			✓		✓				✓			
EWAQ~DAYN		R-410A				✓		✓				✓			
EWAQ~E-		R-410A				✓			✓			✓	✓	✓	
EWAQ~F-		R-410A				✓		✓	✓			✓	✓	✓	
EWAQ~GZ NEW		R-410A	✓			✓			✓			✓		✓	
EWAD~E-		R-134a					✓	✓				✓	✓		
EWAD~D-		R-134a					✓	✓	✓		✓	✓	✓	✓	✓
EWAD~BZ		R-134a	✓				✓	✓	✓			✓	✓	✓	
EWAD~TZ NEW *		R-134a	✓				✓	✓	✓			✓		✓	
EWAD~C-		R-134a					✓	✓	✓	✓		✓	✓	✓	
EWAD~CZ		R-134a	✓				✓		✓			✓	✓	✓	
EWAD~DZ NEW *		R-134a	✓				✓		✓			✓	✓		✓
EWAD~CF		R-134a		✓			✓		✓			✓	✓	✓	
Heat pump															0
EWYQ~ADVP		R-410A	✓		✓			✓				✓			
EWYQ~ACV3/ACW1		R-410A	✓			✓		✓				✓			
EUWY*~KBZW1		R-407C				✓		✓				✓			
EWYQ~BA*		R-410A	✓			✓		✓				✓			
EWYQ~DAYN		R-410A				✓		✓				✓			
EWYQ~F NEW		R-410A				✓			✓			✓	✓	✓	
EWYQ~GZ NEW		R-410A	✓			✓			✓			✓		✓	
EWYD~BZ		R-134a	✓				✓	✓				✓	✓		
Condensing unit															0
ERAD~E-		R-134a					✓	✓				✓	✓		

* : preliminary

Capacity classes (kW)






Water cooled chiller range

	Refrigerant	Inverter	Compressor			Efficiency version		Sound version
			Scroll	Screw	Centrifugal	Standard	High	Standard
Water cooled chillers (Cooling only & Heating only)								
EWWP~KBW1N	R-407C		✓			✓		✓
EWWD~J-	R-134a			✓		✓		✓
EWWD~G-	R-134a			✓		✓	✓	✓
EWWD~I-	R-134a			✓		✓	✓	✓
EWWD~H-	R-134a			✓			✓	✓
Water cooled chillers (Cooling only)								
EWWQ~B-	R-410A			✓		✓	✓	✓
Condenserless chillers								
EWLP~KBW1N	R-407C		✓			✓		✓
EWLD~J-	R-134a			✓		✓		✓
EWLD~G-	R-134a			✓		✓		✓
EWLD~I-	R-134a			✓		✓		✓
Water cooled centrifugal chillers								
EWWD~FZ	R-134a	✓			✓		✓	✓
DWME	R-134a	✓			✓		✓	✓
DWSC DWDC	R-134a	optional			✓		✓	✓
6,000 RT CENTRIFUGAL	R-134a				✓		✓	✓



Capacity classes (kW)



Overview Air handling units

Air flow (m³/h x 1,000)

0 15 30 45 60 75 90 105 120 135

The most flexible solution

D-AHU Professional

500 m³/h

up to 140,000 m³/h



Best seasonal performance and return on investment

D-AHU Energy

1,500 m³/h

up to 70,000 m³/h



Ideal to cover your simple AHU needs

D-AHU Easy

500 m³/h

up to 30,000 m³/h



Daikin D-AHU added-value options

Controls option for Professional and Energy series

From 0.75 kW motor

up to 22 kW motor

EC Plug Fan Option

500 m³/h

up to 100,000 m³/h



NEW

Daikin fresh air package - Plug & play concept for the D-AHU range

Plug & play connection to VRV IV or ERQ



Factory fitted and welded fresh air package



VRV IV or ERQ Condensing unit
























Expansion valve (EKEXV)



Electronic interface (EKEQFCB)



Overview Fan coil units

Reference					1	2	3	4	5	6	7	8	9	10	11	12	16	18	20	22kW			
900x900 cassette	FWC-BT/BF	cooling																					
		heating																					
	cooling																						
	heating																						
600x600 cassette	FWF-BT/BF	cooling																					
		heating																					
	cooling																						
	heating																						
Wall mounted	FWT-CT	cooling																					
		heating																					
Flexi with cabinet	FML-DT/DF	cooling																					
		heating																					
	FWR-AT/AF	cooling		 																			
		heating																					
	FWM-DT/DF	cooling																					
		heating																					
Flexi without cabinet	FWS-AT/AF	cooling		 																			
		heating																					
Ducted Low ESP	FWE-CT/CF	cooling																					
		heating																					
	FWB-BT	cooling																					
		heating																					
Ducted Medium ESP	FWP-AT	cooling		 																			
		heating																					
	FWD-AT/AF	cooling																					
		heating																					
Floor standing	FWZ-DT/DF	cooling																					
		heating																					
	FWZ-AT/AF	cooling																					
		heating																					
	FWZ-AT/AF	cooling																					
		heating																					

* BLDC: inverter driven brushless direct current fan motor



The present leaflet is drawn up by way of information only and does not constitute an offer binding upon Daikin Europe N.V. Daikin Europe N.V. has compiled the content of this leaflet to the best of its knowledge. No express or implied warranty is given for the completeness, accuracy, reliability or fitness for particular purpose of its content and the products and services presented therein. Specifications are subject to change without prior notice. Daikin Europe N.V. explicitly rejects any liability for any direct or indirect damage, in the broadest sense, arising from or related to the use and/or interpretation of this leaflet. All content is copyrighted by Daikin Europe N.V.



Daikin Europe N.V. participates in the Eurovent Certification programme for Air conditioners (AC), Liquid Chilling Packages (LCP), Air handling units (AHU) and Fan coil units (FCU). Check ongoing validity of certificate online: www.eurovent-certification.com or using: www.certiflash.com



ECPEN14-440 - XXX - 08/13 - Copyright Daikin
 The present publication supersedes ECPEN13-440A
 Printed on non-chlorinated paper. Prepared by La Movida, Belgium
 Resp. Ed.: Daikin Europe N.V., Zandvoordestraat 300, B-8400 Oostende

FSC

ECPEN14-440

Daikin products are distributed by: